

BEAM CLAMP MULTI-ROLLER (MDR4000)

MAX LOAD 4000LB

DIAMETER RANGE: 2" - 36"

BEAM CLAMPING RANGE:

- 5" - 12" FLANGE WIDTH



- 1/4" - 1" FLANGE THICKNESS

RATING FOR FULLY BEAM
SUPPORTED AND CENTERED
BASE ONLY

- INSPECT ALL UNITS FOR SIGNS
OF ABUSE OR DAMAGE

- INSURE BASE IS SECURE BEFORE USE

- DO NOT USE IF NOT SECURED
OR ANY COMPONENT IS
DAMAGED



NOTE:

| REV | REVISION DESCRIPTION | DATE | MADE BY |
|-----|----------------------|------|---------|
| | | | |
| | | | |
| | | | |
| | | | |

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LJ WELDING & MACHINE ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN PERMISSION OF LJ WELDING & MACHINE IS STRICTLY PROHIBITED

APEGGA PERMIT NUMBER: P9801

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES

DEFAULT TOLERANCES
 LINEAR DIMENSIONS:
 X.X=±.030" X.XX=±.015" X.XXX=±.005"
 FRACTIONAL: ±1/16"
 SAW: +0, -3/32"
 HOLES: +1/64", -0
 ANGULAR: ±1/2°
 CONCENTRICITY: ±.010" TIR
 MACHINE FINISH: 125 RMS
 MACHINE INTRNL RADII: .015"

BREAK ALL SHARP CORNERS

| | | | |
|------------------------|--|---------------------------|--------------|
| DRAWN | TWR | DATE | OCT 23/08 |
| CHKD | | DATE | |
| APPR | | DATE | |
| MATERIAL SPECIFICATION | DESCRIPTION | | |
| STOCK DESCRIPTION | 4000LB MDR w/5"-12" DUAL CLAMP BASE - COMPLETE | | |
| GRADE | FILE | WEIGHT (LBS) | PART NUMBER |
| RAW MATERIAL | MDR-600-0 | 80 | |
| | SCALE 1:10 | DO NOT SCALE FROM DRAWING | SHEET 1 OF 1 |

LJ WELDING & MACHINE

| | | | |
|-----------|--------------|-------------|-----|
| FILE | WEIGHT (LBS) | PART NUMBER | REV |
| MDR-600-0 | 80 | | 0 |

SCALE 1:10 DO NOT SCALE FROM DRAWING SHEET 1 OF 1